# Electromesh sheet

Corona discharge cloth with conductive discharge element made of stainless fiber and synthetic fiber

Electromesh series that reduces and eliminates various static electricity problems at

Fibrous

Rubber Coating

Electro mesh EST-S10-2

Coated with one-sided conductive rubber

Make into a goodwill shape and touch with charged objects.

(Sales unit 1m width x 0.3mm thickness x 1m to 20m length)

Clean room compatible anti-static

Double-sided conductive

Electro mesh EST-S10-2ND

Conductive rubber coated on both front and back

Prevents dust generation!

Effective for food containers, semiconductors, micro parts, and many other situations that require cleanlinessin onsiderationof dust generation

(Sales unit 1m width x 0.4mm thickness x 1m-20m length)

Vinil Cloride

Fibrous

Electro mesh EST-SP10

Used on a work table or as a foot mat to prevent human body charging

(Sales unit 1m width x 1.0mm thickness x 1m to 20m length)

Ask to

Note：The effect of static elimination depends on the material It also depends on the environment.

Electromesh tape

Corona discharge cloth with conductive discharge element made of stainless fiber and synthetic fiber

Electromesh series that reduces and eliminates various static electricity problems at the manufacturing site

EST-S-50

EST-S-30

50mm width

30mm width

50mm width x 20m length x 0.4mm

30mm width x 20m length x 0.4mm

[Sales unit: Volume 1 (20m long)〜]

Example of Use

Installation example for roll paper printing

Wrap around the guide roll

Roll Paper

To fix

Furthermore, if you use the Electromesh, the effect will be doubled (goodwill work)

Static electricity (peeling charge)

Daihyaku Co.,Ltd.	**Ask to**
Tel +81-3-6853-5801 fax +81-3-6985-5804 104-0045 1-4-5 Tsukiji Chuo-ku Tokyo Japan URL：http://www.daihyaku.co.jp/ Email：info@daihyaku.co.jp	

Note：The effect of static elimination depends on the material It also depends on the environment.

Electro Line

Corona discharge cloth with conductive discharge element made of stainless fiber and synthetic fiber

Eliminates static electricity without contacting charged objects
Easy to install because it is string-shaped

EST-LF	EST-LR
4mm × 0.5mm Flat	Φ1.5mm Round

Example of installation

Roll film

Electro line installation example →

(Sales unit   10m·50m·100m·500m)

Daihyaku Co., Ltd.	Ask to
Tel +81-3-6853-5801 fax +81-3-6985-5804 104-0045 1-4-5 Tsukiji Chuo-ku Tokyo Japan URL：http://www.daihyaku.co.jp/ Email：info@daihyaku.co.jp	

Note：The effect of static elimination depends on the material It also depends on the environment.